L Number		Search Text	DB	Time stamp	
16	! 1	((memory cach\$2 storage) near2 map\$4)	USPAT;	2003/06/15	13:4
	1	near7 (session adj (information data	EPO;		
	1	state))	DERWENT;		
			IBM_TDB		
15	1		USPAT;	2003/06/15	13:4
		near7 (session adj (information data	EPO;		
		state))	DERWENT		
18	3	((memory cach\$2 storage) near7 map\$4)	USPAT;	2003/06/15	13:4
		near7 (session adj (information data	EPO; JPO;		
		state))	DERWENT;		
	•		IBM_TDB	4	
17	; 3	((memory cach\$2 storage) near7 map\$4)	USPAT;	2003/06/15	13:4
		near7 (session adj (information data	EPO;		
		state))	DERWENT		
27	30		USPAT	2003/06/15	
29	7		USPAT	2003/06/15	
28	30		USPAT	2003/06/15	
-	447	709/227,312.ccls. and client and server	USPAT	2003/06/08	14:4
		and process\$3 and internet		0000105155	
-	3	709/227,312.ccls. and client and server	USPAT	2003/06/08	14:5
	1	and process\$3 and internet and shar\$3 adj			
		(storage memory cach\$2) and (web-page			
	1	webpage (web adj page))		0000105155	
-	ì	709/227,312.ccls. and client and server	USPAT	2003/06/08	14:5
		and process\$3 and internet and shar\$3 adj			
		(storage memory cach\$2) and (session adj			
		state)			
-	3	709/227,312.ccls. and client and server	USPAT	2003/06/08	15:00
		and process\$3 and internet and shar\$3 adj			
		(storage memory cach\$2) and (session adj			
		(information data state))			
-	7	709/227,312.ccls. and process\$3 and shar\$4	USPAT	2003/06/08	15:0
		adj (storage memory cach\$2) and (session			
		adj (information data state))			
-	7	709/227,312.ccls. and process\$3 and shar\$3	USPAT	2003/06/08	15:12
		adj (storage memory cach\$2) and (session	İ		
		adj (information data state))			
-	49	*	USPAT	2003/06/08	
_	4	709/227,312.ccls. and (session adj	USPAT	2003/06/08	15:19
	ł #	(information data state)).ti.			
-	12	709/227,312.ccls. and (session adj	USPAT	2003/06/08	15:19
	1	(information data state)).ab.			
-	11	709/227,312.ccls. and (session adj	USPAT	2003/06/08	16:55
		(information data state)).ab. not			
		(709/227,312.ccls. and process\$3 and			
		shar\$3 adj (storage memory cach\$2) and			
		(session adj (information data state)))			
_		6076108.URPN.	USPAT	2003/06/08	
_	84	1	USPAT;	2003/06/08	16:5
		cach\$2) and (session adj (information data	EPO;	1	
-		state)) and server	DERWENT;		
			IBM_TDB		
_	1	process\$3 and shar\$4 adj (storage memory	USPĀT;	2003/06/08	17:0
		cach\$2) and (session adj (information data	EPO;		
		state)).ab. and server	DERWENT;		
			IBM_TDB		
-	2	process\$3 and shar\$4 near2 (storage	USPĀT;	2003/06/08	17:0
	i	memory cach\$2) and (session adj	EPO;		
		(information data state)).ab. and server	DERWENT;		
			IBM TDB		
_	1	5809248.pn.	USPĀT	2003/06/08	17:0
_	4	709/227,228,312.ccls. and request and	USPAT	2003/06/08	
		process\$3 and internet and shar\$3 adj			
		(storage memory cach\$2) and (session adj			
		(information data state))			
_	208	Y .	USPAT	2003/06/08	17:3
_	130	session adj state and client and server	USPAT	2003/06/08	
_	34	session adj state and client and server	USPAT	2003/06/08	
	, , ,	and shared adj (memory cach\$3 storage)	1	1	

-	34	session adj state and client and server	USPAT	2003/06/08 17:39
		and shared adj (memory cach\$3 storage) and process\$3		
_	27	17	USPAT	2003/06/08 17:45
		and shared adj (memory cach\$3 storage) and		
	24	processor session adj state and client and server	USPAT	2003/06/08 17:40
-	24	and shared adj (memory cach\$3 storage) and		
		processor and (internet webpage web-page		
		(web adj page))	USPAT	2003/06/08 17:46
-	0	(session adj (state information data status)).ab. and client and server and	USIAI	2003,00,00 1
	!	shared adj (memory cach\$3 storage) and		
	2	processor (session adj (state information data	USPAT	2003/06/08 17:59
_		status)).ab. and shared adj (memory	001711	2003,00,00 2
		cach\$3 storage) and processor		
-	383	, ,	USPAT; EPO; JPO;	2003/06/08 18:00
	1	status)).ab.	DERWENT;	
	i		IBM_TDB	
-	107	(session adj (state information data status)).ti.	USPAT; EPO; JPO;	2003/06/08 18:00
		Status)).tr.	DERWENT;	
	1		IBM_TDB	0000/06/00 11 0/
-		5774660.pn. 709/\$.ccls. and (cluster\$ and load).ab.	USPAT USPAT	2003/06/09 11:20
_	1	1	USPAT	2003/06/09 19:02
-	54	709/227,312,215.ccls. and (session adj	USPAT	2003/06/09 19:33
		(data information state)) and ((name near translation) convert\$4 map\$4)		
_	41	709/227,312,215.ccls. and (session adj	USPAT	2003/06/09 19:31
		(data information state)) and ((name near		
		translation) map\$4) 709/227,312,215.ccls. and (session adj	USPAT	2003/06/09 19:32
-	1	(data information state)) and ((name near	5522	
		translation) map\$4) not		
		(709/227,312,215.ccls. and (session adj (data information state)) and ((name near		
		translation) convert\$4 map\$4))		
-	40	709/227,312,215.ccls. and (session adj	USPAT	2003/06/09 19:50
_	2	(data information state)) and (map\$4) (serialized adj byte adj stream)	USPAT	2003/06/09 19:53
-		(rewrit\$4 replace\$3 updat\$3) same (session	USPAT	2003/06/11 17:48
	001	near (information data state))	Henr	2003/06/11 17:48
-	201	(rewrit\$4 (over adj write) replace\$3 updat\$3) same (session near (information	USPAT	2003/00/11 17.40
		data state))		
-	52	(rewrit\$4 replace\$3 updat\$3) same (session adj (information data state)) and	USPAT	2003/06/11 17:5
		709/\$.ccls.		
_	10		USPAT	2003/06/11 18:02
_	10	(information data state)) and 709/\$.ccls. (rewrit\$4 (over adj write) replace\$3) same	USPAT	2003/06/11 18:0
		(session adj (information data state)) and		
	_	709/\$.ccls.	IIC DAM	2003/06/12 17:2
-	5	session adj map\$3 same (proxy server gateway)	USPAT	2003/00/12 17:2:
-	11	session same memory same map\$3 same client	USPAT	2003/06/12 17:3
		same (server proxy gateway) session same memory adj map\$4 same client	USPAT;	2003/06/12 17:40
-	3	session same memory adj maps4 same client same (server proxy gateway)	US-PGPUB;	2003,00,12 17.40
			EPO; JPO;	
	1		DERWENT; IBM TDB	
-	51	session same memory adj map\$4	USPAT;	2003/06/12 18:13
			US-PGPUB;	
			EPO; JPO; DERWENT;	
•	•		IBM TDB	1

	37	session same (memory-map\$3 (memory adj map))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/12 19:59
-	0	709/227,312,215.ccls. and (serialized adj	IBM_TDB USPAT	2003/06/12 19:37
		byte adj stream) (memory-mapped adj file) or (memory adj	USPAT	2003/06/12 19:54
		map\$4 adj file) or memory-mapped or (memory near map\$4) same (session adj (information data state))		
-	0	((memory cach\$2 storage) near map\$4) same (session adj (information data state))	USPAT	2003/06/12 20:00
-	57	((memory cach\$2 storage) near map\$4) and	USPAT	2003/06/12 20:00
-	1	(session adj (information data state)) ((memory cach\$2 storage) near map\$4) near7 (session adj (information data state))	USPAT; EPO;	2003/06/15 13:45
-	59	((memory cach\$2 storage) near map\$4) and (session adj (information data state))	DERWENT USPAT; EPO; DERWENT	2003/06/12 20:02
-	4	client and server and process\$3 and internet and shar\$5 adj (storage memory cach\$2) and (session adj state) and	USPAT	2003/06/12 20:20
1_	: 9	serializ\$3 client and server and process\$3 and internet and (storage memory cach\$2) and	USPAT	2003/06/12 20:21
-	680	(session adj state) and serializ\$3 (stor\$4 or retriev\$4) near3 (serial\$5) same (advantag\$4 benefit\$3 purpos\$3	USPAT	2003/06/13 14:00
	2	reason) (stor\$4 or retriev\$4) near3 (serializ\$5) adj (data information files byte stream) same (advantag\$4 benefit\$3 purpos\$3	USPAT	2003/06/13 14:05
	5	reason) (stor\$4 or retriev\$4) near7 (serializ\$5) adj (data information files byte stream)	USPAT	2003/06/13 14:13
_	92		USPAT	2003/06/13 14:14
	169	byte stream) same (advantag\$4 benefit\$3 purpos\$3 reason) (serializ\$5) adj (data information files	USPAT;	2003/06/13 14:15
		byte stream) same (advantag\$4 benefit\$3 purpos\$3 reason)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	3	(stor\$3 retriev\$4) near3 (serializ\$5) adj (data information files byte stream) same (advantag\$4 benefit\$3 purpos\$3 reason)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 16:15
_	8	(stor\$3 retriev\$4) near7 (serializ\$5) adj (data information files byte stream) same (advantag\$4 benefit\$3 purpos\$3 reason)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/13 16:15
	44	(stor\$3 retriev\$4) near7 (serializ\$5) near (data information files byte stream) same (advantag\$4 benefit\$3 purpos\$3 reason)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/13 15:02
-	1	(stor\$3 retriev\$4) near7 (de adj serializ\$5) near (data information files byte stream) same (advantag\$4 benefit\$3 purpos\$3 reason)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/06/13 15:57
-	1	((storage cach\$2 memory) adj map\$3) and (session near (sate information data)) and (shar\$3 near (memory cach storage)) and 711/\$.ccls.	IBM_TDB USPAT	2003/06/13 16:15

				10000 /06/20 17 05
· -	14		USPAT	2003/06/13 17:05
1	1	(session near (sate information data)) and	ļ	ļ
		(shar\$3 near (memory cach storage))		
	14	shar\$3 near (memory cach storage) and	USPAT	2003/06/13 17:35
ļ		((storage cach\$2 memory) adj map\$3) and		
1		(session near (sate information data)) and		i
İ		(shar\$3 near (memory cach storage))		
! _	38	(information data files) near7 (associat\$3	USPAT	2003/06/13 17:44
•		relat\$3 map\$4) near3 ((storage cach42		
i r		memory) adj map\$3) and (load adj balanc\$4)		
1 -	. 7	(information data files) near7 (associat\$3	USPAT	2003/06/13 18:40
:	1	relat\$3 map\$4) near3 ((storage cach42		
!		memory) adj map\$3) and (load adj balanc\$4)		
1		and session		
! _	156	(information data files) near7 (associat\$3	USPAT;	2003/06/13 18:10
		relat\$3 map\$4) near3 ((storage cach42	EPO;	
		memory) adj map\$3) and session	DERWENT	
-	43	(information data files) near7 (associat\$3	USPAT;	2003/06/13 18:13
		relat\$3 map\$4) near3 ((storage cach42	EPO;	
•	1	memory) adj map\$3) and session and	DERWENT	
	1	(709/\$.ccls. or 711/.ccls.)		

Page 4